

Obesità e chirurgia bariatrica

Obiettivi: utilità della chirurgia bariatrica

Materiali e metodi: Paz obesa, anni 35, bmi 43,3. 3 gravidanze a termine, con difficoltà a seguire una dieta, praticare sport e terapia farmacologica. Non presenta disturbi da compulsione alimentare. Aumento di peso dopo la seconda gravidanza, dopo la quale ha fatto uso di contraccettivi a base di estrogeni.

Risultati: la paz non riesce a perdere peso dopo una serie di diete, neanche sospendendo la terapia ormonale.

Conclusioni: per un significativo calo ponderale, in casi di obesità patologica, si ricorre alla chirurgia bariatrica: gastroplastica verticale, bendaggio gastrico, by-pass gastrico. Si ha anche un miglioramento dell'assetto metabolico.

Pietrocarlo Francesca

Obesity and bariatric surgery

Objectives: bariatric surgery is useful for ponderal decrease?

Materials and methods: Paz 35 years old, 2 pregnancies, bmi 43,3; difficulties in make diet, in sport and drugs. Not compulsive pathologies. From the 2nd pregnancy estrogen therapy.

Results: it is impossible to have a ponderal decrease anyway.

Conclusion: for a good result of ponderal decrease it is correct a sleeve gastrectomy, the gastric bypass and the vertical gastroplastic.

Pietrocarlo Francesca